


NOTICE: RESTRICTED AS TO USE AND DISCLOSURE

THIS ENTIRE DOCUMENT AND ALL INFORMATION IS PROPRIETARY TO COLT INC. AND SHALL NOT BE REPRODUCED, DUPLICATED OR COPIED IN WHOLE OR IN PART, DISCLOSED OR MADE AVAILABLE TO ANY OTHER PERSON, FIRM, OR CORPORATION OR OTHERWISE USED EXCEPT TO THE EXTENT NECESSARY FOR AND THEN ONLY IN CONNECTION WITH THE PREPARATION OR CONNECTION WITH THE PREPARATION AND/OR SUBMISSION OF BIDS OR PROPOSALS RELATED TO A PROCUREMENT BEING EFFECTED BY THE UNITED STATES EITHER BY THE UNITED STATES GOVERNMENT OR UNDER CONTRACT WITH THE UNITED STATES GOVERNMENT. THIS DOCUMENT WILL BE DISPOSED OF IN ACCORDANCE WITH THE INSTRUCTIONS ISSUED BY THE RESPONSIBLE CONTRACTING OFFICER UPON COMPLETION OF THE PURPOSE FOR WHICH IT WAS ISSUED.

SPECIAL LICENSE RIGHTS THE GOVERNMENT'S RIGHTS TO USE, MODIFY, REPRODUCE, RELEASE, PERFORM, DISPLAY, OR DISCLOSE THESE DATA ARE RESTRICTED BY CONTRACT NO. DAAFO3-67-C-108, LICENSE NO. DAAFO3-67-C-108. ANY REPRODUCTION OF TECHNICAL DATA OR PORTIONS THEREOF MARKED WITH THIS LEGEND MUST ALSO REPRODUCE THE MARKINGS.

DUE TO GOVERNMENT GENERATED ENGINEERING CHANGES, THERE MAY BE DATA AND/OR TOLERANCES NOT PROPRIETARY TO COLT'S.




REVISIONS				
MODEL REV	DRAWING REV	DESCRIPTION	DATE(YEAR-MO-DA)	APPROVED
N/A	-	PRODUCTION RELEASE ERR W2S2013	1982-06-14	
N/A	A	NOR W2S3258 / 1982-12-30 (ECP W4S3025 / 1984-06-25)	1984-09-04	
N/A	B	NOR W4S0030 / 1984-11-15	1985-04-02	
N/A	C	NOR W6S3006 / 1986-03-12	1987-02-18	
N/A	D	NOR G1S3088 / 1991-07-18	1991-08-27	
N/A	E	NOR G1S2018 / 1991-07-08	1991-10-11	
N/A	F	NOR L1S2102 / 2001-08-23	2001-09-26	RLV
-	G	NOR L2S3024 / 2002-05-21	2002-07-30	JJW
A	H	NOR L3S3161 / 2004-03-31	2004-08-13	RLV



ISO VIEW SCALE 2.000

NOTES

- APPLICABLE STANDARDS/SPECIFICATIONS:
 - ANSI Y14.5-1973.
 - MIL-W-13855.
- MATERIAL: ALUMINUM 7075-T6 PER SPEC. AMS-QQ-A-225/9 OR ASTM B211.
- PROTECTIVE FINISH: MIL-A-8625 TYPE III, CLASS 2, FILM THICKNESS .0010 ± .0002, FINISH SHALL BE LUSTERLESS (FLAT), APPROX BLACK, NO.37038, TABLE IX, BUT NOT LIGHTER THAN GRAY, NO.36076, TABLE VIII OF FED-STD-595, AND SEAL.
- ALL DIMENSIONS APPLY AFTER PROTECTIVE FINISH.
- ENGRAVE LETTER AND ARROW AS SHOWN .009 ± .003 DEEP X .017 ± .005 WIDE.
- BREAK SHARP EDGES .005 ± .010 EXCEPT AS NOTED.
- SURFACE FINISH: 125 ALL SURFACES EXCEPT AS NOTED.
- QUALITY ASSURANCE PROVISION REQUIREMENTS PER DRAWING 12993884 APPLY.



THIS DRAWING WAS GENERATED FROM A SOLID MODEL AND IS CAD MAINTAINED. CHANGES SHALL BE INCORPORATED BY THE DESIGN ACTIVITY.

PART NO. 9349077

DISTRIBUTION STATEMENT F: FURTHER DISTRIBUTION ONLY AS DIRECTED BY US ARMY, ARDEC, AMSTA-AR-CCL-F, ROCK ISLAND, IL; 1993-09-14.

PMIC			DO NOT SCALE DRAWING UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	CONTRACT NUMBER		DESIGN ACTIVITY US ARMY ARMAMENT RESEARCH, DEVELOPMENT AND ENGINEERING CENTER PICATINNY ARSENAL, NEW JERSEY 07806-5000
				CONTRACTOR		
MECHANICAL PROPERTIES			TOLERANCES ON ANGLES ± 2° 2 PLACE DECIMALS ± .01 3 PLACE DECIMALS ± .005	DRAWN BY B. NICEWANNER	DATE(YEAR-MO-DA) 1982-06-09	KNOB, WINDAGE
YP		M4A1		CHECKER J. MACON-ESERV	ENGINEER L. KO	
TS	12996812	M4	ENGINEER J. WINDHAM	QUALITY ENGINEER E. SESE		
EL2	12951026	M16A4	DRAWING APPROVAL L. BRUNTON 2002-05-21			
RA	9349072	M16A3	DESIGN APPROVAL R. ELBE 2002-05-21		SIZE D	
BH		M16A2	APPLICATION		CAGE CODE 19200	
RH			MATL ENGR	MODELED BY B. NICEWANNER	DWG NO. 9349077	
					SCALE 4.000	
					UNIT WT. 0.014	
					SHEET 1 OF 1	